



00

0000+00 0000000000

0000+00 0000000000

4 mins to read



母乳 + 奶粉 最理想組合

母乳最理想! 奶粉** 雀巢® NESTLÉ MOM® 奶粉含98% 母乳成分
奶粉** ! 雀巢® NESTLÉ MOM® 奶粉含98% 母乳成分
奶粉** ^ 雀巢® TRIO-PRO™ 3奶粉™ 奶粉含98% 母乳成分
奶粉BB!

雀巢® NESTLÉ MOM®

雀巢® TRIO-PRO™ 3奶粉™

雀巢® NESTLÉ MOM®

雀巢® TRIO-PRO™ 3奶粉™

雀巢® TRIO-PRO™ 3奶粉™

雀巢®

NESTLÉ MOM® TRIO-PRO™ 3™

-
-
-

* NESTLÉ MOM® 1 DHA - (Ipsos) (2022 1 3 130 ±8.60%)

** 2021 1 12 2021 NESTLÉ MOM® 1648 1 NESTLÉ MOM® 18 2 36

^ NESTLÉ MOM® # 600 (200 DHA NIH DHA (WHO) (FAO)

^ ^ NESTLÉ MOM® NESTLÉ MOM® 1 = 250 USDA National Nutrient Database for Standard Reference, Release 28.

References

1. Layrisse, M., et al. (2000). *The Journal of Nutrition*, 130(9), 2195-2199
2. WHO (2020). WHO recommendation -Multiple micronutrient supplementation during pregnancy. Retrieved from: https://www.who.int/elena/titles/micronutrients_pregnancy/en/
3. Dunstan J, Mori T, Barden A, et al. Fish oil supplementation in pregnancy modifies neonatal allergen-specific immune responses and clinical outcomes in infants at high risk of atopy: a randomized, controlled trial. *J Allergy Clin Immunol* 2003; 112:1178-84
4. Olsen S, Osterdal M, Salvig J, et al. Fish oil intake compared with olive oil intake in late pregnancy and asthma in the offspring: 16 y of registry-based follow-up from a randomized controlled trial. *Amer J of Clin Nutri* 2008;88: 167-75
5. Coplin, M., et al. (1991). *Clinical Therapeutics*, 13(5): 606-12.
6. Shankar AH, Prasad AS. *Am J Clin Nutr* 1998; 68:447S-63S.