□□

□□□□+□□ □□□□□□□□□

□□□□+□□ □□□□□□□□

4 mins to read

□□□□+□□ □□□□□□□□□

□□□□□□□□□□□□□□□! □□□□□□□* □□® **NESTLÉ MOM®** □□□□□□□□**98%** □□□□□□□□□□□** ! □□□□□□□□□□□□□□□□□□□□□□□□□□□**1□1□□□□□ All In One**□□□□□□□□□□□□□□□□□□^ □□□□□**TRIO-PRO™3□□□™**□□□□□□□□□□□□□□1□□□□□□□□□□□□□□□□□BB□□□□□□!

□□□□□□□□□

□□□□□□□-□□□□□□

- □□□□□□□
- □□□□□□□□□□□
- □□□□□□□□□□□
- □□□□□

□□□□

□□□□□□□□□□□□□□□□□□□□□□100% □□□□82%□□□□□□□□□□□□□□□□□□1□1□□□□□□□□□□□□□□□!

+□□□□□1□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□®NESTLÉ MOM® □□□□□□□TRIO-PRO™ 3□□□™□□□□□□□□:□□□□□□□□□□□□□□□□□□□□□□□□

- □□□□□□□□□□□□□□□□□□□□□□□[1]
- □□□□□□□□□
- □□□□□□□□□□□□□□□□□□□□

1. Layrisse, M., et al. (2000). The Journal of Nutrition, 130(9), 2195-2199
2. WHO (2020). WHO recommendation -Multiple micronutrient supplementation during pregnancy. Retreieved from: https://www.who.int/elena/titles/micronutrients_pregnancy/en/
3. Dunstan J, Mori T, Barden A, et al. Fish oil supplementation in pregnancy modifies neonatal allergen-specific immune responses and clinical outcomes in infants at high risk of atopy: a randomized, controlled trial. J Allergy Clin Immunol 2003; 112:1178-84
4. Olsen S, Osterdal M, Salvig J, et al. Fish oil intake compared with olive oil intake in late pregnancy and asthma in the offspring: 16 y of registry-based follow-up from a randomized controlled trial. Amer J of Clin Nutri 2008;88: 167-75
5. Coplin, M., et al. (1991). Clinical Therapeutics, 13(5): 606-12.
6. Shankar AH, Prasad AS. Am J Clin Nutr 1998; 68:447S-63S.